



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D350-822-011
Job Sheet 189906



Part No: D350-822-011

Job Qty: 1 ea

Part Name: PA100 PUREair System for AS350/EC130



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 1/31/19

Job Tracking No:

Due Date: 3/4/19

Created By: Dara Macdonald

Type: SOLD

Description:

Note: IIN-D350-822 REV.H , DSI9815 REV.A IPP REV:A 14.02.20 NEW ISSUE DD VERF:JLM IPP REV:B 14.06.18
AS PER IIN REV.C DD VERF:JLM IPP REV:C 15.06.03 AS PER IIN REV.D DD VERF:JLM IPP REV:C
18.07.11 AS PER IIN REV.H DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea	3/4/19	3/4/19	0.00	0.00	Start Up Stores/Pkg-1		FEB 27 2019
110	Packaging	1 pcs	3/4/19	3/4/19	0.00	0.00	Packaging1-4		FEB 27 2019
113	Small Fab - 2 - B4B	1 pcs	3/4/19	3/4/19	0.00	0.00	Small Fab - 1 - B4B	EXT LOAD BIB	APR 03 2019
116	QC 5	1 pcs	3/4/19	3/4/19	0.00	0.00	QC 5 - 10		MAR 05 2019
120	QC	1 pcs	3/4/19	3/4/19	0.00	0.00	QC4		MAR 05 2019
125	Outsource	1 pcs	3/4/19	3/4/19	0.00	0.00	Outsource10		MAR 05 2019
130	Packaging	1 pcs	3/4/19	3/4/19	0.00	0.00	Packaging3-1		MAR 05 2019
135	DC	1 pcs	3/4/19	3/4/19	0.00	0.00	DC		MAR 05 2019
140	QC21-FG	1 Ea	3/4/19	3/4/19	0.00	0.00	QC21		MAR 05 2019

Part Op 113 - REPLACE RECEPTACLE KIT AS PER DSI9815

Descriptions: 125 - Issue PO to GL account 50000-25 to LEAVE W/O OPEN UNTIL SOLD PO 042886 (Send copy of PO to Pall - James) Issue W/O LINE item for Pall for amount sold on sales order S/O 14542 according to sales price see Warran for amount. (if sale price is \$23,000 - amount is \$13,400) PO can be received immediately and given to finance in order to close work order.


130 - Identify and pack for shipping as per PPP D350-822-011

135 - Photocopy bluefile & type labels per PPP D350-822-011 CHG005

Q605003 serial # RE10-10449

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
650.0401	Pureair Fairing Assembly	1 Ea (1 ea)	90-Start up Operation	5128699
9752100180	Gasket	1 Ea (1 ea)	90-Start up Operation	5104725
9945000120	Gasket (for B3e models)	1 pcs (1 ea)	90-Start up Operation	5112872
AN821-12J	Elbow (or AN821-12K or 12S)	2 Ea (2 ea)	90-Start up Operation	5114748
AN929-12J	Cap	1 Ea (1 ea)	90-Start up Operation	5115300 5143727
D4925-041	Mounting Plate Assembly	1 pcs (1 ea)	90-Start up Operation	5132046
D4931-1	Engine Fitting (for acft models B2 & previous)	1 pcs (1 ea)	90-Start up Operation	5135832
D4931-3	Engine Fitting (For B3 Models)	1 pcs (1 ea)	90-Start up Operation	5132787
D4931-5	Engine Fitting (for B3e models)	1 pcs (1 ea)	90-Start up Operation	5135445
D4935-1	Mounting Bracket	6 pcs (6 ea)	90-Start up Operation	51210613 5136503 x3
D4943-1	Flex Hose	1 pcs (1 ea)	90-Start up Operation	5125457
D4961-041	Tube Assembly	1 pcs (1 ea)	90-Start up Operation	5119326
D4961-043	Tube Assembly	1 pcs (1 ea)	90-Start up Operation	5119349
D5079-1	Placard, Eaps	2 pcs (2 ea)	90-Start up Operation	5135078
D5090-041	Duct Assembly	1 pcs (1 ea)	90-Start up Operation	5129836
D5105-1	Handle	2 pcs (2 ea)	90-Start up Operation	5110322
D5110-1	Swivel Nut Fitting	1 pcs (1 ea)	90-Start up Operation	5143367
D5179-1	Doubler	2 pcs (2 ea)	90-Start up Operation	5112597 x1.5 18074x1
D5179-3	Doubler	2 pcs (2 ea)	90-Start up Operation	5048931
D5194-1	Doubler	2 pcs (2 ea)	90-Start up Operation	5122034
D5208-041	Blanking Plate Assembly	3 pcs (3 ea)	90-Start up Operation	5131683
LN9038-05012	Bolt	36 pcs (36 ea)	90-Start up Operation	5116942
LN9038-05040	Bolt	1 pcs (1 ea)	90-Start up Operation	5119862
LN9348-05	Nut	32 pcs (32 ea)	90-Start up Operation	5138573
MS20470AD3-4	Rivet, Universal Head	18 Ea (18 ea)	90-Start up Operation	FM136465-40
MS21919WCH12	Clamp	1 Ea (1 ea)	90-Start up Operation	5115303
MS9592-138	Bracket	1 pcs (1 ea)	90-Start up Operation	5116950
NAS1149D0332J	Washer	70 Ea (70 ea)	90-Start up Operation	5144850
NAS43DD3-64	Spacer	1 Ea (1 ea)	90-Start up Operation	5050857
22208CM050016E	Screw	2 pcs (2 ea)	90-Start up Operation	5115291
23350CA050	Washer	2 Ea (2 ea)	90-Start up Operation	5013736
9945000160	Gasket	1 Ea (1 ea)	90-Start up Operation	5119892
D5526-1	Upper Hose Protector	1 pcs (1 ea)	90-Start up Operation	5118043
D5526-3	Lower Hose Protector	1 pcs (1 ea)	90-Start up Operation	5118052
LN9038-05016	Bolt	2 pcs (2 ea)	90-Start up Operation	5114992
BS4320-A5	Washer	56 Ea (56 ea)	110-Packaging	5155548
LN29985-A05	Anchor Nut	15 pcs (15 ea)	110-Packaging	5155551
LN9038-05018	Bolt	56 pcs (56 ea)	110-Packaging	5155553
MS20426AD3-3	Rivet	40 Ea (40 ea)	110-Packaging	5155554
QB21304	Pureair Panel Assembly	1 pcs (1 ea)	110-Packaging	5155545
QB21308	Fod Screen Assembly	1 pcs (1 ea)	110-Packaging	5155546
QB21310	Transition Duct Assembly	1 pcs (1 ea)	110-Packaging	5155547
QR10616	Vortex Tube Repair	1 pcs (1 ea)	110-Packaging	5155549
LN9038-05016	Bolt	2 pcs (2 ea)	110-Packaging	
DSI 9815-011	Replacement Receptacle	1 pcs (1 ea)	113-Small Fab - 2 - B4B	5140514



Job No: 189906

Serial No/Batch: S157002

Revision: H/A

Inspector:

Exp Date:

Instructions: TC STC SH14-14-Issue 2, FAA STC SR0353I

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	22208CM050016E	2	22	0
	23350CA050	2	45	0
	650.0401	1	9	0
	9752100180	1	0	0
	9945000120	1	9	0
	9945000160	1	13	0
	AN821-12J	2	30	0
	AN929-12J	1	17	0
	D4925-041	1	3	0
	D4931-1	1	9	0
	D4931-3	1	5	0
	D4931-5	1	6	0
	D4935-1	6	69	0
	D4943-1	1	15	0
	D4961-041	1	8	0
	D4961-043	1	9	0
	D5079-1	2	30	0
	D5090-041	1	9	0
	D5105-1	2	24	0
	D5110-1	1	28	0
	D5179-1	2	19	0
	D5179-3	2	20	0
	D5194-1	2	5	0
	D5208-041	3	12	0
	D5526-1	1	10	0
	D5526-3	1	8	0
	LN9038-05012	36	337	0
	LN9038-05016	2	103	0
	LN9038-05040	1	46	0
	LN9348-05	32	410	0
	MS20470AD3-4	18	5,777	0
	MS21919WCH12	1	45	0
	MS9592-138	1	19	0
	NAS1149D0332J	70	2,702	0
	NAS43DD3-64	1	28	0
110-Packaging	BS4320-A5	56	6	0
	LN29985-A05	15	389	0
	LN9038-05016	2	103	0
	LN9038-05018	56	731	0
	MS20426AD3-3	40	2,027	0
	QB21304	1	0	0
	QB21308	1	0	0
	QB21310	1	0	0
	QR10616	1	0	0
	DSI 9815-011	1	10	0
113-Small Fab - 2 - B4B				

Part Specifications

Specifications could not be found.

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D350-822 REV. H AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D350-822 REV. 6 OR LATER APPROVED REVISION

REF. TCCA STC: SH14-14
REF. FAA STC: SR03538NY
REF. ANAC STC: 2014S07-11
REF. JCAB STC: STC-372-OSA/STC-371-OSA
REF. EASA STC: 10056574

1.0 PURPOSE

The purpose of this Service Instruction is to facilitate the replacement of the QD3072-46 Receptacles that are installed on the QB21308 Assembly Screen manufactured by Pall Aerospace as part of the D350-822-011/-013 PA100 PUREair System with the DSI 9815-011 Replacement Receptacle kit. The intent of this DSI has been incorporated into D350-822-011 at CHG 005 and D350-822-013 at CHG 003.


2.0 PROCEDURE

2.1 To install the DSI 9815-011 Replacement Receptacle Kits,

- 2.1.1 Open or remove the Upper Engine Cowl per the Aircraft Maintenance Manual.
 - 2.1.2 Remove the Air Intake Seal and the entire QB21308 Assembly Screen by removing qty(22) fasteners per the Aircraft Maintenance Manual. Retain Hardware.
 - 2.1.3 Separate the FOD screen from the QB21496 Receptacle by turning the 1/4 turn fasteners and lift the FOD screen per Figure 1.
 - 2.1.4 Drill out the retaining rivets and remove qty(4) QD3072-46 Receptacles from the QB21496 Receptacle. Remove any adhesive residue.
 - 2.1.5 Position the qty(4) D5713-041 Receptacle Assy in the location shown in Figure 2. Transfer drill 2x $\phi 0.098$ " holes with CSK $\phi 0.179$ " $\angle 100^\circ$ on the top side from the D5713-041 Receptacle Assy to the QB21496 Receptacle. Touch up holes with Alodine 1200 per MIL-C-5541.
 - 2.1.6 Mask nutplate holes and touch up the affected areas with prime and paint per ICA-D350-822.
 - 2.1.7 Install qty(4) D5713-041 Receptacle Assy with qty(2) MS20426AD3-(5) Rivets per Figure 2.
- NOTE: Although not generally necessary, it is acceptable to use longer or shorter MS20426AD3-X Rivets
- 2.1.8 Remove qty(4) 1/4 Turn Fasteners from the FOD Screen per Figure 1.
 - 2.1.9 Reinstall the FOD screen on the QB21496 Receptacle using qty(4) AN4-5A bolts and qty(4) NAS1149D0432J Washers per Figure 2. Torque bolts to 50-70 in-lb (5.6-7.9 N-m).
 - 2.1.10 Ensure the Engine Intake is clear.
 - 2.1.11 Reinstall the QB21308 Assembly Screen between the Engine Intake Duct and the Air Intake Seal using qty(22) fasteners retained at step 2.1.2 per the Aircraft Maintenance Manual.
 - 2.1.12 Reinstall the Upper Engine Cowl per the Aircraft Maintenance Manual.
 - 2.1.13 Update the Aircraft Log Book to indicate installation of the DSI 9815-011 Replacement Receptacle Kit.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 18.12.10
CERT. NO.: SH14-14
ISSUE NO.: 2

APPROVED

A	NEW ISSUE	VS	18.12.10
REV.	DESCRIPTION	BY	DATE
DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	WK	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9815	SHEET 1 OF 4
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	REPLACEMENT RECEPTACLE	NTS
DATE	18.12.10	COPYRIGHT © 2016 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

2.2 To remove the FOD screen,

2.2.1 Open Upper Engine Cowl.

2.2.2 Remove qty(4) AN4-5A bolts and qty(4) NAS1149D0432J Washers per Figure 3 and remove the FOD screen.

2.3 Reinstallation of FOD screen,

2.3.1 Ensure the Engine Intake and FOD Screen are clear.

2.3.2 Install the FOD Screen with qty(4) AN4-5A bolts and qty(4) NAS1149D0432J Washers per Figure 2.

2.3.3 Close Upper Engine Cowl.

3.0 WEIGHT AND BALANCE

The installation of the DSI 9815-011 Replacement Receptacle Kit has negligible effect on Weight and Balance

4.0 PARTS LIST

QTY -011	PART NUMBER	DESCRIPTION
X	DSI 9815-011	REPLACEMENT RECEPTACLE KIT
4	D5713-041	RECEPTACLE ASSY
4	AN4-5A	BOLT
8	MS20426AD3-5	RIVET
4	NAS1149D0432J	WASHER

APPROVED

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	VS	
CHECKED	WK	DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9815 SHEET 2 OF 4
APPROVED	VS	TITLE SCALE
DE APPR.	DS	REPLACEMENT RECEPTACLE NTS
DATE	18.12.10	COPYRIGHT © 2018 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




Figure 1 - QB21308 Assembly Screen

APPROVED

DESIGN	VS
DRAWN	VS
CHECKED	WK
MFG. APPR.	N/A
APPROVED	VS
DE APPR.	DS
DATE	18.12.10

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
DSI 9815

REV. A
SHEET 3 OF 4

TITLE
REPLACEMENT RECEPTACLE NTS

COPYRIGHT © 2018 BY DART AEROSPACE LTD.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.




Figure 2 - DSI 9815-011 Replacement Receptacle Kit

APPROVED

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	WK	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9815	SHEET 4 OF 4
APPROVED	VS	TITLE	SCALE
DE APPR.	DS	REPLACEMENT RECEPTACLE	NTS
DATE	18.12.10	COPYRIGHT © 2016 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

5.0 PARTS LIST

QTY -011	QTY -013	PART NUMBER	DESCRIPTION
X		D350-822-011	PA100 PUREAIR SYSTEM
	X	D350-822-013	PA100 PUREAIR PROVISIONS
1		QB05008	PUREAIR SYSTEM
1**		QR10616	TUBE REPAIR KIT
1**		QB21304	PUREAIR PANEL ASSY
1**		QB21310	TRANSITION DUCT ASSY
1**		QB21308	FOD SCREEN ASSY
15**		LN29985-A05	ANCHOR NUT
56**		LN9038-05018	BOLT
56**		BS4320-A5	WASHER
40**		MS20426AD3-3	RIVET
1	1	650.0401	PUREAIR FAIRING ASSY
1	1	D4925-041	MOUNTING PLATE ASSY
1*	1*	D4931-1	ENGINE FITTING
1*	1*	D4931-3	ENGINE FITTING
1*	1*	D4931-5	ENGINE FITTING
6	6	D4935-1	MOUNTING BRACKET
1	1	D4943-1	FLEX HOSE
1	1	D4961-041	TUBE ASSEMBLY
1	1	D4961-043	TUBE ASSEMBLY
2	2	D5079-1	PLACARD
1	1	D5090-041	DUCT ASSEMBLY
2	2	D5105-1	HANDLE
1	1	D5110-1	SWIVEL NUT FITTING
2	2	D5179-1	DOUBLER
2	2	D5179-3	DOUBLER
2	2	D5194-1	DOUBLER
3	3	D5208-041	BLANKING PLATE ASSY
1	1	D5526-1	HOSE PROTECTOR
1	1	D5526-3	HOSE PROTECTOR
2	2	23350CA050	LOCKING TAB
1*	1*	9752100180	GASKET
1*	1*	9945000120	GASKET
1*	1*	706A33-201-001	GASKET (OR 9945000160)
2	2	22208CM050016E	SCREW
2	2	AS1034J1212	ELBOW (OR AN821-12K OR AN821-12S OR AN821-12J)
1	1	AN929-12J	CAP
70	70	BS4320-A5	WASHER (OR NAS1149D0332J)
36	36	LN9038-05012	BOLT
2	2	LN9038-05016	BOLT
1	1	LN9038-05040	BOLT
32	32	LN9348-05	NUT
18	18	MS20470AD3-4	RIVET
1	1	MS21919WCH12	CLAMP (OR MS21919WHG12)
1	1	MS9592-138	BRACKET
1	1	NAS43DD3-64	SPACER

* USE APPROPRIATE FITTING/GASKET BASED ON ENGINE INSTALLATION

** PART OF QB05008 ABOVE

• COPYRIGHT © 2016 BY DART AEROSPACE LTD. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: H

Date: 18.06.03

2.2 To remove the FOD screen,

2.2.1 Open Upper Engine Cowl.

2.2.2 Remove qty(4) AN4-5A bolts and qty(4) NAS1149D0432J Washers per Figure 3 and remove the FOD screen.

2.3 Reinstallation of FOD screen,

2.3.1 Ensure the Engine Intake and FOD Screen are clear.

2.3.2 Install the FOD Screen with qty(4) AN4-5A bolts and qty(4) NAS1149D0432J Washers per Figure 2.

2.3.3 Close Upper Engine Cowl.

3.0 WEIGHT AND BALANCE

The installation of the DSI 9815-011 Replacement Receptacle Kit has negligible effect on Weight and Balance

4.0 PARTS LIST

QTY -011	PART NUMBER	DESCRIPTION
X	DSI 9815-011	REPLACEMENT RECEPTACLE KIT
4	D5713-041	RECEPTACLE ASSY
4	AN4-5A	BOLT
8	MS20426AD3-5	RIVET
4	NAS1149D0432J	WASHER

APPROVED

DESIGN	VS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	VS	
CHECKED	WK	DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9815 SHEET 2 OF 4
APPROVED	VS	TITLE SCALE
DE APPR.	DS	REPLACEMENT RECEPTACLE NTS
DATE	18.12.10	COPYRIGHT © 2018 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

1. Approving Competent Authority/Country Civil Aviation Authority/ United Kingdom	AUTHORISED RELEASE CERTIFICATE EASA FORM 1	3. Form Tracking Number: 0150462
4. Organisation Name and Address: PALL Pall Corporation PALL EUROPE LTD. Pall Aerospace Division Cardrew Industrial Estate, Redruth, Cornwall, TR15 1SS, UK Tel No. 00 44 (0)1209 884200 Fax No. 00 44(0)1209 884310		5. Work Order/Contract/ Invoice: 4503324242

6. Item	7. Description	8. Part No.	9. Qty	10. Serial No.	11. Status/Work
1	Assy Separator Engine Air Particle Iss 3	QB05008	4	RE10-10446 to 10449 inc	New

12. **Remarks**

Dart Aerospace Ltd
1270 Aberdeen Street
Hawkesbury K6A 1K7
Ontario
CANADA


Pall Aerospace Batch No. RD18018676

DDP 642 Iss C REFERS.

Note - QB05008 is a Kit of following parts: QB21304, QB21310 & QB21308.
(PALL REF - SAP ITEM No: 20)

Guidance and information on disposal / recycling of this product at the end of its life can be obtained from the "Disposal Instruction Guidance" section on Pall web site:
<https://aerospace.pall.com/en/disposal-instructions.html>

Order No. "STO" Order.
This document has been issued according to an approved computer-generated signature procedure.


13a. Certifies that the items identified above were manufactured in conformity to: ☒ approved design data and are in a condition for safe operation ☐ non-approved design data specified in block 12		14a. Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12 was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service.	
13b. Authorised Signature  Electronic Signature on File	13c. Approval/Authorisation Number UK.21G.2630	14b. Authorised Signature	14c. Certificate/Approval Ref. No UK.145.00296
13d. Name Dave Saunders - Line Leader EAPs - 0414	13e. Date (dd mmm yyyy) 08 Feb 2019	14d. Name	14e. Date (dd mmm yyyy)

USER/INSTALLER RESPONSIBILITIES

This certificate does not automatically constitute authority to install.

Where the user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1.

Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.



PRODUCTION ACCEPTANCE TEST CERTIFICATE

This is an Electronically controlled document which is maintained with Full Password Access for all users. The "Insp Stamp" column relates to an individual whose password is electronically controlled, a "wet stamp" is therefore no longer required.

Test Unit Desc	Centrisep EAPS	Issue	3	Report No:	FC1009
Drawing No	QB05008	Amdnt		Serial No.	RE10-10449
Part No	QB05008			Batch No.	RB18018676
ECR / Concession No					
Cust Spec	RSB05008	Test Sched	ATPB05008	Issue	4A
Test Fluid	Air	Test Set-up		Issue	
Rig Or Test No		Assembler	P. FRAZER	Tester	A SAUNDERS
Comment	MQC 414A	Clock No.	402585	Date	312119
Insp/Approved By					

	PROCEDURE	REQUIREMENT	RESULT	Pass/Fail
3.1	Check that the label requirements and part marking are in accordance with Sheet 2	Confirm	Confirmed	Pass
3.2	Ensure the QB05008 assembly conforms to the QB05008 Sheet 2 dimensions.	Confirm	Confirmed	Pass
3.3	Check the weight of the unit does not exceed 10kg.	Confirm	8.7kg	Pass
3.4	Check that proof pressure and crack detect tests have been performed on manifold.	Confirm	Confirmed	Pass
3.5	Check FOD screen mesh is intact with no broken mesh strands or irregular deformation.	Confirm	Confirmed	Pass
3.6	Check FOD screen receptacles are secure with no movement under finger pressure.	Confirm	Confirmed	Pass
3.7	Check FOD screen fits securely to receptacle plate and all 4 off studs engage positively with their corresponding receptacles.	Confirm	Confirmed	Pass
3.8	Check retaining washer has been added to 4 off quarter turn studs.	Confirm	Confirmed	Pass
3.9	Check manifold port thread engagement. Ensure protective cap is fitted.	Confirm	Confirmed	Pass
3.10	Check electrical bonding resistance is equal to or less than 100 milliohms.	Confirm	Confirmed	Pass
4.1	Check overall unit cleanliness.	Confirm	Confirmed	Pass
4.1a	Check there are no material imperfections or foreign matter embedded.	Confirm	Confirmed	Pass
4.1b	Check surface for unclean, rough, misaligned or containing cracks, nicks or other flaws.	Confirm	Confirmed	Pass

UNCONTROLLED DOWNLOADED COPY

4.1 c	Check for any components that are missing, malformed, fractured or otherwise damaged.	Valid on 03 Feb 2019 only. Confirmed	Confirmed	Pass
4.1 d	Check for any components that are loose or otherwise not securely retained.		Confirmed	Pass
4.1 e	Check for incorrect assembling or improper positioning of components.		Confirmed	Pass
4.1 f	Check for faulty workmanship or other irregularities e.g. Marking. Check for missing, insufficient, incorrect, illegible or non permanent text.		Confirmed	Pass
4.1 g	Check to ensure all components are installed and secured in accordance with drawing instructions.		Confirmed	Pass
4.1 h	Check that unit is free from all foreign objects: e.g. Swarf and rivet tails. Ensure unit is properly painted and is in a clean condition. Visually check unit for workmanship, no damage is permissible.		Confirmed	Pass
	PASS/FAIL			
RESULTS OF TEST :- <i>Pass</i>				
MQC 414A				



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO042886



Supplier: PAL001-VU
Pall Aeropower Corporation
10540 Ridge Road
New Port Richey, FL 34654 USA
Phone: 727-844-2245
Fax: 727-815-3115

PO No: PO042886
PO Date: 3/14/19
Due Date:
Purchase Order Revision:
Revision Date:
Ship-To Contact: Phone:
Via: Ground
Pymt Terms: Net 30
Freight Terms:
Special Comments:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1				Commission for Consignment	Commission for Consignment	Firmed	67002-186-0000		1 Ea	0 Ea	1 Ea	\$14,600.00/Ea	\$14,600.00

Line Item Note ORDER 14542
Guardian Flight LLC, TX
1 X D350-822-011 (QB05008)

Grand Total: \$14,600.00

Order Notes

5157002

Plex 3/14/19 9:47 AM dart.lacelle.linda